

Peer review publications 2015

Aamann MD, Norregaard R, Kristensen ML, Stevnsner T, Frokiaer J. Unilateral ureteral obstruction induces DNA repair by APE1. Am J Physiol Renal Physiol 2015; ajprenal. Epub ahead of print. <http://dx.doi.org/10.1152/ajprenal.00613.2014>.

Andersen TB, Aleksyniene R, Gormsen LC, Jodal L, Petersen LJ. Effect of recent contrast-enhanced CT and patient age on image quality of thyroid scintigraphy. Clin Nucl Med 2015; 40: 297-302. <http://dx.doi.org/10.1097/RLU.0000000000000726>.

Andersen TL, Friis SD, Audrain H, Nordeman P, Antoni G, Skrydstrup T. Efficient ¹¹C-carbonylation of isolated aryl palladium complexes for PET: application to challenging radiopharmaceutical synthesis. J Am Chem Soc 2015; 137: 1548-1555. <http://dx.doi.org/10.1021/ja511441u>.

Arnold A, Calvetti D, Gjedde A, Iversen P, Somersalo E. Astrocytic tracer dynamics estimated from [1-(1)(1)C]-acetate PET measurements. Math Med Biol 2015; 32: 367-382. <http://dx.doi.org/10.1093/imammb/dqu021>.

Arveschoug AK, Kramer SM, Iversen P, Frokiaer J, Gronbaek H. Monitoring Kidney Function in Neuroendocrine Tumor Patients Treated with (90)Y-DOTATOC: Associations with Risk Factors. Curr Radiopharm 2015; 8: 49-55. <http://www.ncbi.nlm.nih.gov/pubmed/25506705?dopt=Citation>.

Ashraf A, Fan Z, Brooks DJ, Edison P. Cortical hypermetabolism in MCI subjects: a compensatory mechanism? Eur J Nucl Med Mol Imaging 2015; 42: 447-458. <http://dx.doi.org/10.1007/s00259-014-2919-z>.

Bach E, Moller AB, Jorgensen JO, Vendelbo MH, Jessen N, Olesen JF, Pedersen SB, Nielsen TS, Moller N. Intact pituitary function is decisive for the catabolic response to TNF-alpha: studies of protein, glucose and fatty acid metabolism in hypopituitary and healthy subjects. J Clin Endocrinol Metab 2015; 100: 578-586. <http://dx.doi.org/10.1210/jc.2014-2489>.

Bailey JE, Nagayama T, Loisel GP, Rochau GA, Blancard C, Colgan J, Cosse P, Faussurier G, Fontes CJ, Gilleron F, Golovkin I, Hansen SB, Iglesias CA, Kilcrease DP, MacFarlane JJ, Mancini RC, Nahar SN, Orban C, Pain JC, Pradhan AK, Sherrill M, Wilson BG. A higher-than-predicted measurement of iron opacity at solar interior temperatures. Nature 2015; 517: 56-59. <http://dx.doi.org/10.1038/nature14048>.

Bannon D, Landau AM, Doudet DJ. How Relevant Are Imaging Findings in Animal Models of Movement Disorders to Human Disease? Curr Neurol Neurosci Rep 2015; 15: 53-60. <http://dx.doi.org/10.1007/s11910-015-0571-z>.

Bouchelouche K, Turkbey B, Choyke PL. Advances in imaging modalities in prostate cancer. Curr Opin Oncol 2015; 27: 224-231. Review. <http://dx.doi.org/10.1097/CCO.0000000000000174>.

Bouchelouche K, Choyke PL. PET/Computed Tomography in Renal, Bladder, and Testicular Cancer. PET Clin 2015; 10: 361-374. Review. <http://dx.doi.org/10.1016/j.cpet.2015.03.002>.

Braad PE, Hansen SB, Thisgaard H, Hoilund-Carlsen PF. PET imaging with the non-pure positron emitters: (55)Co, (86)Y and (124)I. Phys Med Biol 2015; 60: 3479-3497. <http://dx.doi.org/10.1088/0031-9155/60/9/3479>.

Braad PE, Hansen SB, Hoilund-Carlsen PF. Impact of high (131)I-activities on quantitative (124)I-PET. Phys Med Biol 2015; 60: 5297-5312. <http://dx.doi.org/10.1088/0031-9155/60/13/5297>.

Brooks DJ. Neuroimaging in Parkinson's disease: a future perspective. *Neurodegener Dis Manag* 2015; 5: 105-108. <http://dx.doi.org/10.2217/nmt.14.56>.

Carlsen I, Frokiaer J, Norregaard R. Quercetin attenuates cyclooxygenase-2 expression in response to acute ureteral obstruction. *Am J Physiol Renal Physiol* 2015; 308: F1297-F1305. <http://dx.doi.org/10.1152/ajprenal.00514.2014>.

Cheema MU, Irsik DL, Wang Y, Miller-Little W, Hyndman KA, Marks ES, Frokiaer J, Boesen EI, Norregaard R. Estradiol regulates AQP2 expression in the collecting duct: a novel inhibitory role for estrogen receptor alpha. *Am J Physiol Renal Physiol* 2015; 309: F305-F317. <http://dx.doi.org/10.1152/ajprenal.00685.2014>.

Christoffersen HF, Hansen SK, Vad BS, Nielsen EH, Nielsen JT, Vosegaard T, Skrydstrup T, Otzen DE. The natural, peptaibolic peptide SPF-5506-A4 adopts a beta-bend spiral structure, shows low hemolytic activity and targets membranes through formation of large pores. *Biochim Biophys Acta* 2015; 1854: 882-889. <http://dx.doi.org/10.1016/j.bbapap.2015.03.003>.

Christoffersen HF, Andreasen M, Zhang S, Nielsen EH, Christiansen G, Dong M, Skrydstrup T, Otzen DE. Scaffolded multimers of hIAPP(20-29) peptide fragments fibrillate faster and lead to different fibrils compared to the free hIAPP(20-29) peptide fragment. *Biochim Biophys Acta* 2015; 1854: 1890-1897. <http://dx.doi.org/10.1016/j.bbapap.2015.08.005>.

Eichendorff S, Svendsen P, Bender D, Keiding S, Christensen EI, Deleuran B, Moestrup SK. Biodistribution and PET imaging of a novel [68Ga]-anti-CD163-antibody conjugate in rats with collagen-induced arthritis and in controls. *Mol Imaging Biol* 2015; 17: 87-93. <http://dx.doi.org/10.1007/s11307-014-0768-6>.

EI-Galaly TC, Pedersen MB, Hutchings M, Mylam KJ, Madsen J, Gang AO, Bogsted M, de Nully BP, Loft A, Nielsen AL, Hendel HW, Iyer V, Gormsen LC. Utility of interim and end-of-treatment PET/CT in peripheral T-cell lymphomas: A review of 124 patients. *Am J Hematol* 2015; 90: 975-980. <http://dx.doi.org/10.1002/ajh.24128>.

Faenov AY, Colgan J, Hansen SB, Zhidkov A, Pikuz TA, Nishiuchi M, Pikuz SA, Skobelev IY, Abdallah J, Sakaki H, Sagisaka A, Pirozhkov AS, Ogura K, Fukuda Y, Kanasaki M, Hasegawa N, Nishikino M, Kando M, Watanabe Y, Kawachi T, Masuda S, Hosokai T, Kodama R, Kondo K. Nonlinear increase of X-ray intensities from thin foils irradiated with a 200 TW femtosecond laser. *Sci Rep* 2015; 5: 13436. <http://dx.doi.org/10.1038/srep13436>.

Fan Z, Harold D, Pasqualetti G, Williams J, Brooks DJ, Edison P. Can Studies of Neuroinflammation in a TSPO Genetic Subgroup (HAB or MAB) Be Applied to the Entire AD Cohort? *J Nucl Med* 2015; 56: 707-713. <http://dx.doi.org/10.2967/jnmed.114.149443>.

Fan Z, Okello AA, Brooks DJ, Edison P. Longitudinal influence of microglial activation and amyloid on neuronal function in Alzheimer's disease. *Brain* 2015; 138: 3685-3698. <http://dx.doi.org/10.1093/brain/awv288>.

Fan Z, Aman Y, Ahmed I, Chetelat G, Landeau B, Ray CK, Brooks DJ, Edison P. Influence of microglial activation on neuronal function in Alzheimer's and Parkinson's disease dementia. *Alzheimers Dement* 2015; 11: 608-621. <http://dx.doi.org/10.1016/j.jalz.2014.06.016>.

Farr KP, Kramer S, Khalil AA, Morsing A, Grau C. Role of perfusion SPECT in prediction and measurement of pulmonary complications after radiotherapy for lung cancer. *Eur J Nucl Med Mol Imaging* 2015; 42: 1315-1324. <http://dx.doi.org/10.1007/s00259-015-3052-3>.

Farr KP, Kallehauge JF, Moller DS, Khalil AA, Kramer S, Bluhme H, Morsing A, Grau C. Inclusion of functional information from perfusion SPECT improves predictive value of

dose-volume parameters in lung toxicity outcome after radiotherapy for non-small cell lung cancer: A prospective study. *Radiother Oncol* 2015; 117: 9-16.
<http://dx.doi.org/10.1016/j.radonc.2015.08.005>.

Farr KP, Moller DS, Khalil AA, Kramer S, Morsing A, Grau C. Loss of lung function after chemo-radiotherapy for NSCLC measured by perfusion SPECT/CT: Correlation with radiation dose and clinical morbidity. *Acta Oncol* 2015; 54: 1350-1354.
<http://dx.doi.org/10.3109/0284186X.2015>.

Farup J, De LM, Rahbek SK, Bjerre J, Vendelbo MH, Boppart MD, Vissing K. Pericyte response to contraction mode-specific resistance exercise training in human skeletal muscle. *J Appl Physiol* (1985) 2015; 119: 1053-1063.
<http://dx.doi.org/10.1152/japplphysiol.01108.2014>.

Fedorova T, Knudsen CS, Mouridsen K, Nexo E, Borghammer P. Salivary acetylcholinesterase activity is increased in Parkinson's disease: a potential marker of parasympathetic dysfunction. *Parkinsons Dis* 2015; 2015: 1-7.
<http://dx.doi.org/10.1155/2015/156479>.

Fosby B, Melum E, Bjoro K, Bennet W, Rasmussen A, Andersen IM, Castedal M, Olausson M, Wibeck C, Gotlieb M, Gjertsen H, Toivonen L, Foss S, Makisalo H, Nordin A, Sanengen T, Bergquist A, Larsson ME, Soderdahl G, Nowak G, Boberg KM, Isoniemi H, Keiding S, Foss A, Line PD, Friman S, Schrumpf E, Ericzon BG, Hockerstedt K, Karlsen TH. Liver transplantation in the Nordic countries - An intention to treat and post-transplant analysis from The Nordic Liver Transplant Registry 1982-2013. *Scand J Gastroenterol* 2015; 50: 797-808. <http://dx.doi.org/10.3109/00365521.2015.1036359>.

Frokiaer J. Urinary tract obstruction.pp.1257-1282. in Skorecki K, Chertow GM, Marsden PA, Taal MW, Yu ASL, (ed): Brenner and Rectors, The Kidney.10th. Elsevier Health Sciences, 2015.

Gejl M, Starup-Linde J, Scheel-Thomsen J, Gregersen S, Vestergaard P. Risk of cardiovascular disease: the effects of diabetes and anti-diabetic drugs - a nested case-control study. *Int J Cardiol* 2015; 178: 292-296.
<http://dx.doi.org/10.1016/j.ijcard.2014.11.096>.

Gregersen T, Haase AM, Schlageter V, Gronbaek H, Krogh K. Regional Gastrointestinal Transit Times in Patients With Carcinoid Diarrhea: Assessment With the Novel 3D-Transit System. *J Neurogastroenterol Motil* 2015; 21: 423-432.
<http://dx.doi.org/10.5056/jnm15035>.

Hagtvedt T, Seierstad T, Lund KV, Londalen AM, Bogsrud TV, Smith HJ, Geier OM, Holte H, Aalokken TM. Diffusion-weighted MRI compared to FDG PET/CT for assessment of early treatment response in lymphoma. *Acta Radiol* 2015; 56: 152-158.
<http://dx.doi.org/10.1177/0284185114526087>.

Hansen K, Hansen ES, Tolbod LP, Kristensen MC, Ringgaard S, Brubakk AO, Pedersen M. A CT-, PET- and MR-imaging-compatible hyperbaric pressure chamber for baromedical research. *Diving Hyperb Med* 2015; 45: 247-254.
<http://www.ncbi.nlm.nih.gov/pubmed/26687313?dopt=Citation>.

Hansen SB. Lipid agonism: The PIP2 paradigm of ligand-gated ion channels. *Biochim Biophys Acta* 2015; 1851: 620-628. *Review.* <http://dx.doi.org/10.1016/j.bbaliip.2015.01.011>.

Harms HJ, Tolbod LP, Hansson NH, Kero T, Orndahl LH, Kim WY, Bjerner T, Bouchelouche K, Wiggers H, Frokiaer J, Sorensen J. Automatic extraction of forward stroke volume using dynamic PET/CT: a dual-tracer and dual-scanner validation in patients with heart valve disease. *EJNMMI Phys* 2015; 2: 25.
<http://dx.doi.org/10.1186/s40658-015-0133-0>.

Heneka MT, Carson MJ, El KJ, Landreth GE, Brosseron F, Feinstein DL, Jacobs AH, Wyss-Coray T, Vitorica J, Ransohoff RM, Herrup K, Frautschy SA, Finsen B, Brown GC, Verkhratsky A, Yamanaka K, Koistinaho J, Latz E, Halle A, Petzold GC, Town T, Morgan D, Shinohara ML, Perry VH, Holmes C, Bazan NG, Brooks DJ, Hunot S, Joseph B, Deigendesch N, Garaschuk O, Boddeke E, Dinarello CA, Breitner JC, Cole GM, Golenbock DT, Kummer MP. Neuroinflammation in Alzheimer's disease. Lancet Neurol 2015; 14: 388-405. *Review.* [http://dx.doi.org/10.1016/S1474-4422\(15\)70016-5](http://dx.doi.org/10.1016/S1474-4422(15)70016-5).

Hjorthaug K, Hojbjerg JA, Knap MM, Tietze A, Haraldsen A, Zacho HD, Kramer SM, Borghammer P. Accuracy of 18F-FDG PET-CT in triaging lung cancer patients with suspected brain metastases for MRI. Nucl Med Commun 2015; 36: 1084-1090. <http://dx.doi.org/10.1097/MNM.0000000000000371>.

Holm IE, Alstrup AK, Luo Y. Genetically Modified Pig Models for Neurodegenerative Disorders. Journal of Pathology 2015; *Review Animal.*

Horsager J, Munk OL, Sorensen M. Metabolic liver function measured in vivo by dynamic (18)F-FDGal PET/CT without arterial blood sampling. EJNMMI Res 2015; 5: 32. <http://dx.doi.org/10.1186/s13550-015-0110-6>.

Jakobsen JK, Alslev L, Ipsen P, Costa JC, Krarup KP, Sommer P, Nerstrom H, Toft BG, Hoyer S, Bouchelouche K, Jensen JB. DaPeCa-3: promising results of sentinel node biopsy combined with F-fluorodeoxyglucose positron emission tomography/computed tomography in clinically lymph node-negative patients with penile cancer - a national study from Denmark. BJU Int 2015; *Epub ahead of print.* <http://dx.doi.org/10.1111/bju.13243>.

Jensen JM, Gormsen LC, Molgaard H, Norgaard BL. Noninvasive Fractional Flow Reserve for the Diagnosis of Lesion-specific Ischemia: A Case Example. J Clin Imaging Sci 2015; 5: 3. <http://dx.doi.org/10.4103/2156-7514.150443>.

Johnson ML, Irving BA, Lanza IR, Vendelbo MH, Konopka AR, Robinson MM, Henderson GC, Klaus KA, Morse DM, Heppelmann C, Bergen HR, III, Dasari S, Schimke JM, Jakaitis DR, Nair KS. Differential Effect of Endurance Training on Mitochondrial Protein Damage, Degradation, and Acetylation in the Context of Aging. J Gerontol A Biol Sci Med Sci 2015; 70: 1386-1393. <http://dx.doi.org/10.1093/gerona/glu221>.

Jung HJ, Kim SY, Choi HJ, Park EJ, Lim JS, Frokiaer J, Nielsen S, Kwon TH. Tankyrase-mediated beta-catenin activity regulates vasopressin-induced AQP2 expression in kidney collecting duct mpkCCDc14 cells. Am J Physiol Renal Physiol 2015; 308: F473-F486. <http://dx.doi.org/10.1152/ajprenal.00052.2014>.

Keiding S. How Should Lumped Constant Be Estimated for Hepatic 18F-FDG Glucose in Humans? J Nucl Med 2015; 56: 1302-1303. *Comment.* <http://dx.doi.org/10.2967/jnumed.115.161422>.

Knudsen K, Flensburg DM, Mouridsen K, Borghammer P. Olfactory function in Parkinson's Disease - effects of training. Acta Neurol Scand 2015; 132: 395-400. <http://dx.doi.org/10.1111/ane.12406>.

Kolstad A, Kumari S, Walczak M, Madsbu U, Hagtvedt T, Bogsrud TV, Kvalheim G, Holte H, Aurlien E, Delabie J, Tierens A, Olweus J. Sequential intranodal immunotherapy induces antitumor immunity and correlated regression of disseminated follicular lymphoma. Blood 2015; 125: 82-89. <http://dx.doi.org/10.1182/blood-2014-07-592162>.

Landau AM, Phan JA, Iversen P, Lillethorup TP, Simonsen M, Wegener G, Jakobsen S, Doudet DJ. Decreased in vivo alpha2 adrenoceptor binding in the Flinders Sensitive Line rat model of depression. Neuropharmacology 2015; 91: 97-102. <http://dx.doi.org/10.1016/j.neuropharm.2014.12.025>.

Landau AM, Dyve S, Jakobsen S, Alstrup AK, Gjedde A, Doudet DJ. Acute Vagal Nerve Stimulation Lowers alpha2 Adrenoceptor Availability: Possible Mechanism of Therapeutic Action. *Brain Stimul* 2015; 8: 702-707. <http://dx.doi.org/10.1016/j.brs.2015.02.003>.

Lassen-Ramshad Y, Petersen JB, Tietze A, Borghammer P, Mahajan A, McGovern SL. Pseudoprogression after proton radiotherapy for pediatric low grade glioma. *Acta Oncol* 2015; 54: 1701-1702. *Letter*. <http://dx.doi.org/10.3109/0284186X.2015.1078498>.

Lauritzen ES, Voss T, Kampmann U, Mengel A, Vendelbo MH, Jorgensen JO, Moller N, Vestergaard ET. Circulating acylghrelin levels are suppressed by insulin and increase in response to hypoglycemia in healthy adult volunteers. *Eur J Endocrinol* 2015; 172: 357-362. <http://dx.doi.org/10.1530/EJE-14-0880>.

Lillethorup TP, Iversen P, Wegener G, Doudet DJ, Landau AM. alpha2-adrenoceptor binding in Flinders-sensitive line compared with Flinders-resistant line and Sprague-Dawley rats. *Acta Neuropsychiatr* 2015; 27: 345-352.
<http://dx.doi.org/10.1017/neu.2015.24>.

Lillethorup TP, Iversen P, Fontain J, Wegener G, Doudet DJ, Landau AM. Electroconvulsive shocks decrease alpha2-adrenoceptor binding in the Flinders rat model of depression. *Eur Neuropsychopharmacol* 2015; 25: 404-412.
<http://dx.doi.org/10.1016/j.euro.2014.12.003>.

Londero SC, Krogdahl A, Bastholt L, Overgaard J, Pedersen HB, Hahn CH, Bentzen J, Schytte S, Christiansen P, Gerke O, Godballe C. Papillary thyroid carcinoma in Denmark, 1996-2008: outcome and evaluation of established prognostic scoring systems in a prospective national cohort. *Thyroid* 2015; 25: 78-84.
<http://dx.doi.org/10.1089/thy.2014.0294>.

Lutken SC, Frokiaer J, Nielsen S. AVP-induced increase in AQP2 and p-AQP2 is blunted in heart failure during cardiac remodeling and is associated with decreased AT1R abundance in rat kidney. *PLoS One* 2015; 10: e0116501.
<http://dx.doi.org/10.1371/journal.pone.0116501>.

Mak E, Su L, Williams GB, Firbank MJ, Lawson RA, Yarnall AJ, Duncan GW, Owen AM, Khoo TK, Brooks DJ, Rowe JB, Barker RA, Burn DJ, O'Brien JT. Baseline and longitudinal grey matter changes in newly diagnosed Parkinson's disease: ICICLE-PD study. *Brain* 2015; 138: 2974-2986. <http://dx.doi.org/10.1093/brain/awv211>.

McGinnity CJ, Koepp MJ, Hammers A, Riano Barros DA, Pressler RM, Luthra S, Jones PA, Trigg W, Micallef C, Symms MR, Brooks DJ, Duncan JS. NMDA receptor binding in focal epilepsies. *J Neurol Neurosurg Psychiatry* 2015; 86: 1150-1157.
<http://dx.doi.org/10.1136/jnnp-2014-309897>.

Moller AB, Vendelbo MH, Christensen B, Clasen BF, Bak AM, Jorgensen JO, Moller N, Jessen N. Physical exercise increases autophagic signaling through ULK1 in human skeletal muscle. *J Appl Physiol (1985)* 2015; 118: 971-979.
<http://dx.doi.org/10.1152/japplphysiol.01116.2014>.

Mylam KJ, Kostakoglu L, Hutchings M, Coleman M, Lamonica D, Czuczman MS, Diehl LF, Nielsen AL, Jensen P, Loft A, Hendel HW, Iyer V, Leppa S, Jyrkkio S, Holte H, Eriksson M, Gillstrom D, Hansen PB, Seppanen M, Hjorthaug K, Brown PN, Pedersen LM. (18)F-fluorodeoxyglucose-positron emission tomography/computed tomography after one cycle of chemotherapy in patients with diffuse large B-cell lymphoma: results of a Nordic/US intergroup study. *Leuk Lymphoma* 2015; 56: 2005-2012.
<http://dx.doi.org/10.3109/10428194.2014.975800>.

Nahimi A, Jakobsen S, Munk OL, Vang K, Phan JA, Rodell A, Gjedde A. Mapping alpha2 adrenoceptors of the human brain with 11C-yohimbine. *J Nucl Med* 2015; 56: 392-398.
<http://dx.doi.org/10.2967/jnumed.114.145565>.

Nielsen OL, Afzelius P, Bender D, Schonheyder HC, Leifsson PS, Nielsen KM, Larsen JO, Jensen SB, Alstrup AK. Comparison of autologous (111)In-leukocytes, (18)F-FDG, (11)C-methionine, (11)C-PK11195 and (68)Ga-citrate for diagnostic nuclear imaging in a juvenile porcine haematogenous staphylococcus aureus osteomyelitis model. Am J Nucl Med Mol Imaging 2015; 5: 169-182. <http://www.ncbi.nlm.nih.gov/pubmed/25973338?dopt=Citation>.

Nilsson L, Madsen K, Krag S, Frokiaer J, Jensen BL, Norregaard R. Disruption of cyclooxygenase type 2 exacerbates apoptosis and renal damage during obstructive nephropathy. Am J Physiol Renal Physiol 2015; 309: F1035-F1048. <http://dx.doi.org/10.1152/ajprenal.00253.2015>.

Nome R, Hernes E, Bogsrud TV, Bjoro T, Fossa SD. Changes in prostate-specific antigen, markers of bone metabolism and bone scans after treatment with radium-223. Scand J Urol 2015; 49: 211-217. <http://dx.doi.org/10.3109/21681805.2014.982169>.

Nordeman P, Friis SD, Andersen TL, Audrain H, Larhed M, Skrydstrup T, Antoni G. Rapid and Efficient Conversion of (11) CO₂ to (11) CO through Silacarboxylic Acids: Applications in Pd-Mediated Carbonylations. Chemistry 2015; 21: 17601-17604. <http://dx.doi.org/10.1002/chem.201503262>.

Norregaard R, Kwon TH, Frokiaer J. Physiology and pathophysiology of cyclooxygenase-2 and prostaglandin E2 in the kidney. Kidney Res Clin Pract 2015; 34: 194-200. *Review*. <http://dx.doi.org/10.1016/j.krcp.2015.10.004>.

Pasqualetti G, Brooks DJ, Edison P. The role of neuroinflammation in dementias. Curr Neurol Neurosci Rep 2015; 15: 17. *Review*. <http://dx.doi.org/10.1007/s11910-015-0531-7>.

Phan JA, Landau AM, Wong DF, Jakobsen S, Nahimi A, Doudet DJ, Gjedde A. Quantification of [(11)C]yohimbine binding to alpha2 adrenoceptors in rat brain in vivo. J Cereb Blood Flow Metab 2015; 35: 501-511. <http://dx.doi.org/10.1038/jcbfm.2014.225>.

Qamhawi Z, Towey D, Shah B, Pagano G, Seibyl J, Marek K, Borghammer P, Brooks DJ, Pavese N. Clinical correlates of raphe serotonergic dysfunction in early Parkinson's disease. Brain 2015; 138: 2964-2973. <http://dx.doi.org/10.1093/brain/awv215>.

Ramløv A, Kroon PS, Jurgenliemk-Schulz IM, De Leeuw AA, Gormsen LC, Fokdal LU, Tanderup K, Lindegaard JC. Impact of radiation dose and standardized uptake value of (18)FDG PET on nodal control in locally advanced cervical cancer. Acta Oncol 2015; 54: 1567-1573. <http://dx.doi.org/10.3109/0284186X.2015.1061693>.

Rasmussen MM, Krogh K, Clemmensen D, Tankisi H, Fuglsang-Frederiksen A, Rawashdeh Y, Bluhme H, Christensen P. The artificial somato-autonomic reflex arch does not improve bowel function in subjects with spinal cord injury. Spinal Cord 2015; 53: 705-710. <http://dx.doi.org/10.1038/sc.2015.75>.

Schulz A, Godt JC, Dormagen JB, Holtedahl JE, Bogsrud TV, Labori KJ, Klow NE, Bach-Gansmo T. Respiratory gated PET/CT of the liver: A novel method and its impact on the detection of colorectal liver metastases. Eur J Radiol 2015; 84: 1424-1431. <http://dx.doi.org/10.1016/j.ejrad.2015.05.011>.

Scott G, Hellyer PJ, Ramlackhansingh AF, Brooks DJ, Matthews PM, Sharp DJ. Thalamic inflammation after brain trauma is associated with thalamo-cortical white matter damage. J Neuroinflammation 2015; 12: 224. <http://dx.doi.org/10.1186/s12974-015-0445-y>.

Senda M, Yamamoto Y, Sasaki M, Yamane T, Brooks DJ, Farrar G, McParland B, Heurling K. An exploratory efficacy study of the amyloid imaging agent [(18)F]flutemetamol in Japanese Subjects. Ann Nucl Med 2015; 29: 391-399. <http://dx.doi.org/10.1007/s12149-015-0957-7>.

Senda M, Brooks DJ, Farrar G, Somer EJ, Paterson CL, Sasaki M, McParland BJ. The clinical safety, biodistribution and internal radiation dosimetry of flutemetamol ((1)(8)F) injection in healthy Japanese adult volunteers. Ann Nucl Med 2015; 29: 627-635.
<http://dx.doi.org/10.1007/s12149-015-0986-2>.

Smith R, Wu K, Hart T, Loane C, Brooks DJ, Bjorklund A, Odin P, Piccini P, Politis M. The role of pallidal serotonergic function in Parkinson's disease dyskinesias: a positron emission tomography study. Neurobiol Aging 2015; 36: 1736-1742.
<http://dx.doi.org/10.1016/j.neurobiolaging.2014.12.037>.

Sondergaard E, Nellemann B, Sorensen LP, Christensen B, Gormsen LC, Nielsen S. Lean body mass, not FFA, predicts VLDL-TG secretion rate in healthy men. Obesity (Silver Spring) 2015; 23: 1379-1385. <http://dx.doi.org/10.1002/oby.21108>.

Sondergaard E, Gormsen LC, Christensen MH, Pedersen SB, Christiansen P, Nielsen S, Poulsen PL, Jessen N. Chronic adrenergic stimulation induces brown adipose tissue differentiation in visceral adipose tissue. Diabet Med 2015; 32: e4-e8. *Case Report*.
<http://dx.doi.org/10.1111/dme.12595>.

Stefanetti RJ, Lamon S, Wallace M, Vendelbo MH, Russell AP, Vissing K. Regulation of ubiquitin proteasome pathway molecular markers in response to endurance and resistance exercise and training. Pflugers Arch 2015; 467: 1523-1537.
<http://dx.doi.org/10.1007/s00424-014-1587-y>.

Stender J, Kupers R, Rodell A, Thibaut A, Chatelle C, Bruno MA, Gejl M, Bernard C, Hustinx R, Laureys S, Gjedde A. Quantitative rates of brain glucose metabolism distinguish minimally conscious from vegetative state patients. J Cereb Blood Flow Metab 2015; 35: 58-65. <http://dx.doi.org/10.1038/jcbfm.2014.169>.

Svensson E, Horvath-Puho E, Thomsen RW, Djurhuus JC, Pedersen L, Borghammer P, Sorensen HT. Vagotomy and subsequent risk of Parkinson's disease. Ann Neurol 2015; 78: 522-529. <http://dx.doi.org/10.1002/ana.24448>.

Svensson E, Horvath-Puho E, Thomsen RW, Djurhuus JC, Pedersen L, Borghammer P, Sorensen HT. Does vagotomy reduce the risk of Parkinson's disease: The authors reply. Ann Neurol 2015; 78: 1012-1013. *Letter*. <http://dx.doi.org/10.1002/ana.24518>.

Svensson E, Horvath-Puho E, Thomsen RW, Djurhuus JC, Pedersen L, Borghammer P, Sorensen HT. Reply: To PMID 26031848. Ann Neurol 2015; 78: 835. *Letter*.
<http://dx.doi.org/10.1002/ana.24500>.

Tietze A, Boldsen JK, Mouridsen K, Ribe L, Dyve S, Cortnum S, Ostergaard L, Borghammer P. Spatial distribution of malignant tissue in gliomas: correlations of 11C-L-methionine positron emission tomography and perfusion- and diffusion-weighted magnetic resonance imaging. Acta Radiol 2015; 56: 1135-1144.
<http://dx.doi.org/10.1177/0284185114550020>.

Tragardh M, Moller N, Sorensen M. Methodologic Considerations for Quantitative 18F-FDG PET/CT Studies of Hepatic Glucose Metabolism in Healthy Subjects. J Nucl Med 2015; 56: 1366-1371. <http://dx.doi.org/10.2967/jnmed.115.154211>.

Vafaei MS, Gjedde A, Imamirad N, Vang K, Chakravarty MM, Lerch JP, Cumming P. Smoking normalizes cerebral blood flow and oxygen consumption after 12-hour abstention. J Cereb Blood Flow Metab 2015; 35: 699-705.
<http://dx.doi.org/10.1038/jcbfm.2014.246>.

Varley J, Brooks DJ, Edison P. Imaging neuroinflammation in Alzheimer's disease and other dementias: Recent advances and future directions. Alzheimers Dement 2015; 11: 1110-1120. *Review*. <http://dx.doi.org/10.1016/j.jalz.2014.08.105>.

Vendelbo MH, Christensen B, Gronbaek SB, Hogild M, Madsen M, Pedersen SB, Jorgensen JO, Jessen N, Moller N. GH signaling in human adipose and muscle tissue during 'feast and famine': amplification of exercise stimulation following fasting compared to glucose administration. Eur J Endocrinol 2015; 173: 283-290.
<http://dx.doi.org/10.1530/EJE-14-1157>.

Willowson KP, Tapner M, Bailey DL. A multicentre comparison of quantitative (90)Y PET/CT for dosimetric purposes after radioembolization with resin microspheres : The QUEST Phantom Study. Eur J Nucl Med Mol Imaging 2015; 42: 1202-1222.
<http://dx.doi.org/10.1007/s00259-015-3059-9>.

Winther S, Svensson M, Jorgensen HS, Bouchelouche K, Gormsen LC, Pedersen BB, Holm NR, Botker HE, Ivarsen P, Bottcher M. Diagnostic Performance of Coronary CT Angiography and Myocardial Perfusion Imaging in Kidney Transplantation Candidates. JACC Cardiovasc Imaging 2015; 8: 553-562. <http://dx.doi.org/10.1016/j.jcmg.2014.12.028>.

Winther S, Bottcher M, Jorgensen HS, Bouchelouche K, Gormsen LC, Oczachowska-Kulik AE, Holm NR, Botker HE, Ivarsen PR, Svensson M. Coronary Calcium Score May Replace Cardiovascular Risk Factors as Primary Risk Stratification Tool Before Kidney Transplantation. Transplantation 2015; *Epub ahead of print*.
<http://www.ncbi.nlm.nih.gov/pubmed/26555948?dopt=Citation>.

Yang C, Nilsson L, Cheema MU, Wang Y, Frokiaer J, Gao S, Kjems J, Norregaard R. Chitosan/siRNA nanoparticles targeting cyclooxygenase type 2 attenuate unilateral ureteral obstruction-induced kidney injury in mice. Theranostics 2015; 5: 110-123.
<http://dx.doi.org/10.7150/thno.9717>.

Zylstra AB, Frenje JA, Grabowski PE, Li CK, Collins GW, Fitzsimmons P, Glenzer S, Graziani F, Hansen SB, Hu SX, Johnson MG, Keiter P, Reynolds H, Rygg JR, Seguin FH, Petrasso RD. Measurement of charged-particle stopping in warm dense plasma. Phys Rev Lett 2015; 114: 215002. <http://dx.doi.org/10.1103/PhysRevLett.114.215002>.